

INVERTER



- 255 kW

String Inverter

Three Phase

Power: 1500 V / 255kW

Max efficiency: 99.0%

Size: 1170 x 770 x 384 mm

Weight: 113 kg

[Learn More](#)



125 kW Single Input

String Inverter

Three Phase

Power: 1500 V / 125kW

Max efficiency: 99.1%

Size: 942 x 733 x 311 mm

Weight: 84 kg

[Learn More](#)



125 kW 20 Input



String Inverter

Three Phase

Power: 1500 V / 125kW

Max efficiency : 99.1%

Size: 1176 x 713.5 x 315 mm

Weight: 84 kg

[Learn More](#)

- **20-50 kW**

String Inverters

Three phase

Power: 1000 V / 50 – 66kW

Max efficiency : up to 98.8%

Size: 630 x 1034 x 354 mm

Weight: 74.8 – 78 kg

[Learn More](#)



-

50-60 kW

String Inverters 2G

Three Phase

Power: 50-60 kW

Max efficiency: 99.0%

Size: 630 x 700 x 357 mm

Weight: 61-63 kg

[Learn More](#)



80 kW

String Inverters 5G

Three Phase


Power: 80 kW

Max efficiency: 98.7%

Size: 1050 x 567 x 314.5 mm

Weight: 82 kg

[Learn More](#)



100-110 kW

String Inverters 5G

Three Phase

Power: 80-110kW

Max efficiency: 98.7%

Size: 1065 x 567 x 344.5 mm

Weight: 84 kg

[Learn More](#)



•

3-9 kW with DC BOX

String Inverters


Single Phase

Power: 3-9kW

Max efficiency: 98.1%

With DC Box

[Learn More](#)

 CanadianSolar



5-20 kW

String Inverters

Mini Three Phase

Power: 1000V/ 5-20 kW

Max efficiency : 98.7%

Size: 563 x 310 x 219 mm

Weight: 17.3-19.8 kg

[Learn More](#)



3-9 kW without DC Box

String Inverters

Single Phase

Power: 3-9kW

Max efficiency: 98.1%

Without DC Box

[Learn More](#)

DATA MONITORING



•

CSI Cloud Apps

[Learn More](#)



•

CSI Wifi Stick

Adapted to residential single phase inverter

Working Frequency: 2.142GHz~2.484GHz

Working voltage: DC5V ~DC12V

Data Interface: RS485

Working power: 1.5W

[Learn More](#)



WiFi Stick

Max. Number of Inverters: 1

WiFi Communication Range: 100m max

Working Current : 200 – 300mA

Size: 118 x 43 x 43 mm

Weight: 56g

[Learn More](#)